



Nova Galvanised Roller Shutter Doors

Nova Roller Shutters provide a roller shutter door solution for various different types of applications, examples below:

- Shop fronts
- Retail entrances
- Distribution centres
- Warehouses
- Factories
- Industrial units
- Other types on request

Nova roller shutters can be fitted internally or externally to secure your building or opening.

The standard finish for our roller shutters is 22 gauge galvanised steel. All guides, canopies, flags and L rails etc. are also galvanised steel for a long lasting, effective operation cycle, ensuring the longevity of your door

We offer a coloured/powder coated finish to any RAL or BS4800 colour which you require to suit your site environment.

Manual shutters are generally operated via Push/Pull or chain operation and are secured via bullet or lath locks.

Our electrically operated roller shutters are generally operated via key switch however other options are available such as ground induction loop or radar movement detection. Electrically operated doors come with manual over-ride system so door can be operated in event of a power failure.

Doors can be manufactured to suit an opening of up to 8M width.

Nova design and manufacture doors to suit all of your requirements whether that be in a windy area, high security environment or areas such as a cleanroom.

Doors can be manufactured with following extra design criteria:

- Wind Guides
- Barrel Canopy
- Floor Rubber Seal
- Barrel Brush Strip
- Colour coating to exterior
- Heavy duty motors
- Wicket personnel door
- Perforated Curtain



Here at Nova we use our extensive knowledge to advise and provide a door to suit your all of your requirements, our trained surveyors are available to visit you on site to provide a free no obligation quotation.







**NOVA
INDUSTRIAL
SERVICES LTD.**

For more information:

Nova Industrial Services Ltd

T: 01529 572274

E: Sales@nova-ind.co.uk

W: www.nova-ind.co.uk